

**Information Sheet of 11/10/2017, version 3**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: FLOC SUPER PE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified use:

Special flocculant for quick sand filters. Aluminium free

Uses advised against:

Any other use different from the identified uses.

1.3. Details of the supplier of the safety data sheet

Company:

BARCHEMICALS SRL

VIA S.ALLENDE 14

CASTELNUOVO RANGONE (MO)

ITALY

PHONE. +39 059/536502

FAX. +39 059/536742

www.barchemicals.it

Competent person responsible for the safety data sheet:

barani.corrado@barchemicals.it

1.4. Emergency telephone number

Barani Dr.Corrado - MOBILE PHONE. +39 335/6109383

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria n°1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

P102 Keep out of reach of children.

Special Provisions:

None

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

**Safety Data Sheet**  
**FLOC SUPER PE**

**SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 5% - < 7%	1,2 Ethanediamine, polymer with 2- (chloromethyl)oxirane and N- methylmethanamine	CAS: 42751-79-1 EC: 610-057-9	4.1/C3 Aquatic Chronic 3 H412

**SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Rinse well your mouth

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

**SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Water spray, heavy alcohol foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Immediately isolate the area by removing all persons from the area of the accident in the event of a fire. No action shall be taken involving any personal risk or without proper training. Firefighters must wear protective equipment and self-contained breathing apparatus (SCBA) with a full-face mask on the working face at positive pressure. Fire extinguishers (including helmets, protective boots and gloves) conforming to European Standard EN469 will provide basic protection for chemical accidents.

**SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Remove persons to safety.

**Safety Data Sheet**  
**FLOC SUPER PE**

Evacuate the surrounding areas.  
Prevent entry of foreign and unprotected personnel.  
Do not touch or walk on spilled material.  
Avoid breathing vapors or mists.  
Wear personal protection equipment.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Stop the escape if there is no risk. Move the containers from the spill area. Get closer to the source of overwhelming emission. Prevent spills in sewage systems, waterways, basements or restricted areas. Wash and convey the spilled amounts in a waste treatment plant.

6.4. Reference to other sections

See also section 8 and 13

**SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store at room temperature and away from direct sunlight.

Keep away from food, drink and feed.

Incompatible materials:

See the next paragraph 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

**SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye/face protection:

Eye glasses with side protection. EN166

Protection for skin:

Chemical protection clothing.

Protection for hands:

Rubber gloves.

Respiratory protection:

Not necessary in normal use.

Thermal Hazards:

Not applicable (the product is handled at room temperature)

Environmental exposure controls:

Do not allow the product to be absorbed from the soil or from entering waterways or sewers.

Do not let product enter drains. Discharge into the environment must be avoided.

Appropriate engineering controls:

Ensure adequate ventilation. Comply with the maximum concentration values in the workplace.

Predict the presence of showers and eye wash fountains at the workplace.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid Light Blue	--	--
Odour:	Odorless	--	--
Odour threshold:	Not Available	--	--
pH:	7	--	at 20 °C
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	Not Available	--	--
Flash point:	Not inflammable	--	--
Evaporation rate:	Not Available	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	Not Available	--	--
Vapour density:	Not Available	--	--
Relative density:	1.04 Kg/l	--	at 20 °C
Solubility in water:	Complete	--	--
Solubility in oil:	Not Available	--	--
Partition coefficient (n-octanol/water):	Not Available	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	Not Available	--	--
Explosive properties:	Prodotto Non Esplosivo	--	--
Oxidizing properties:	Not oxidizing product	--	--

### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	Not Relevant	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under recommended storage and handling. Please refer to section 7 of the MSDS.

### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

### 10.4. Conditions to avoid

Stable under normal conditions.

**Safety Data Sheet**  
**FLOC SUPER PE**

- 10.5. Incompatible materials  
No one in particular.
- 10.6. Hazardous decomposition products  
Carbon dioxide and carbon monoxide.  
Nitrogen oxides.

**SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

1,2 Ethanediamine, polymer with 2-(chloromethyl)oxirane and N-methylmethanamine - CAS: 42751-79-1

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 5000 g/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

**SECTION 12: Ecological information**

12.1. Toxicity

No information is available on the mixture as a whole. This is the information on ecotoxicological effects of the individual components.

1,2 Ethanediamine, polymer with 2-(chloromethyl)oxirane and N-methylmethanamine - CAS: 42751-79-1

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 100 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 100 mg/l - Duration h: 96

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

**SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

**SECTION 14: Transport information**

**Safety Data Sheet**  
**FLOC SUPER PE**

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
N.A.

**SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

- Directive 2012/18/EU (Seveso III)  
Regulation (EC) nr 648/2004 (detergents).  
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

- Seveso III category according to Annex 1, part 1  
None

15.2. Chemical safety assessment

- No Chemical Safety Assessment has been carried out for the mixture.  
Substances for which a Chemical Safety Assessment has been carried out:  
None

**SECTION 16: Other information**



**Safety Data Sheet**  
**FLOC SUPER PE**

**For professional use.**

Full text of phrases referred to in Section 3:

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking  
 SECTION 2: Hazards identification  
 SECTION 3: Composition/information on ingredients  
 SECTION 4: First aid measures  
 SECTION 5: Firefighting measures  
 SECTION 6: Accidental release measures  
 SECTION 8: Exposure controls/personal protection  
 SECTION 9: Physical and chemical properties  
 SECTION 10: Stability and reactivity  
 SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
 Commission of the European Communities  
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
 Nostrand Reinold

Liability exclusion clause: The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

For professional use.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 CAS: Chemical Abstracts Service (division of the American Chemical Society).  
 CLP: Classification, Labeling, Packaging.  
 DNEL: Derived No Effect Level.  
 EINECS: European Inventory of Existing Commercial Chemical Substances.  
 GefStoffVO: Ordinance on Hazardous Substances, Germany.  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
 IATA: International Air Transport Association.  
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 ICAO: International Civil Aviation Organization.  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
 IMDG: International Maritime Code for Dangerous Goods.  
 INCI: International Nomenclature of Cosmetic Ingredients.  
 KSt: Explosion coefficient.  
 LC50: Lethal concentration, for 50 percent of test population.

**Safety Data Sheet**  
**FLOC SUPER PE**

LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.