




Safety Data Sheet
EXPOSAN RB1

Safety Data Sheet dated 9/8/2017, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification:
Trade name: EXPOSAN RB1
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Identified use:
High concentration, broad spectrum, non-foaming algaecide with lightening effect
Uses advised against:
Any other use different from the identified uses.
- 1.3. Details of the supplier of the safety data sheet
Company:
BARCHEMICALS SRL
VIA S.ALLENDE 14
CASTELNUOVO RANGONE (MO)
ITALY
PHONE. +39 059/536502
FAX. +39 059/536742
www.barchemicals.it
Competent person responsible for the safety data sheet:
barani.corrado@barchemicals.it
- 1.4. Emergency telephone number
Barani Dr.Corrado - MOBILE PHONE. +39 335/6109383

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria n°1272/2008 (CLP)
 Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

- 2.2. Label elements
Hazard pictograms:



Warning

Hazard statements:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

Safety Data Sheet
EXPOSAN RB1

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards




SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 7% - < 12%	Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane	CAS: 25988-97-0	 3.1/4/Oral Acute Tox. 4 H302  4.1/A1 Aquatic Acute 1 H400  4.1/C1 Aquatic Chronic 1 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash immediately with soap and plenty of water.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Rinse well your mouth

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

In case of breathing difficult, bring the injured person into the open air and store it in a comfortable position for breathing. Consult a physician.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

After contact with skin, wash immediately with plenty of soap and water.

Immediately take off contaminated clothing.

In case of contact with eyes, rinse immediately for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed, rinse mouth and drink water. Consult a doctor as soon as possible.

If inhaled, move the victim to fresh air and keep warm and at rest.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Water spray, heavy alcohol foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Safety Data Sheet
EXPOSAN RB1

None in particular.

- 5.2. Special hazards arising from the substance or mixture
In case of fire or overheating, a pressure increase will occur with the possibility of breaking the container. This material is highly toxic to aquatic life with long-term effects. Contaminated water with this material must be contained and must be prevented from accessing waterways, sewers or drains.
Burning produces heavy smoke.
Do not inhale explosion and combustion gases.
- 5.3. Advice for firefighters
Immediately isolate the area by removing all persons from the area of the accident in the event of a fire. No action shall be taken involving any personal risk or without proper training. Firefighters must wear protective equipment and self-contained breathing apparatus (SCBA) with a full-face mask on the working face at positive pressure. Fire extinguishers (including helmets, protective boots and gloves) conforming to European Standard EN469 will provide basic protection for chemical accidents.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Evacuate the surrounding areas.
Prevent entry of foreign and unprotected personnel.
Do not touch or walk on spilled material.
Avoid breathing vapors or mists.
Wear personal protection equipment.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
Retain contaminated washing water and dispose it.
- 6.3. Methods and material for containment and cleaning up
Stop the escape if there is no risk. Move the containers from the spill area. Get closer to the source of overwhelming emission. Prevent spills in sewage systems, waterways, basements or restricted areas. Wash and convey the spilled amounts in a waste treatment plant.
In case of a liquid product, hold and absorb the spillage with inert absorbent material (eg, sand, earth, vermiculite, fossil flour). Store contaminated material in suitable containers and start waste disposal. After collection, rinse the area and the materials with water by retrieving the water used and, if necessary, dispose of it in authorized plants.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Keep in the original container protected from direct sunlight in a dry, cool and well-ventilated area, away from other incompatible materials (see section 10) and food and drink. Keep the container tight and sealed until use. Open containers should be carefully resealed and kept straight to avoid accidental spillage of the product. Do not store in labels without label.
Keep away from food, drink and feed.
Incompatible materials:

Safety Data Sheet
EXPOSAN RB1

See the next paragraph 10.
Instructions as regards storage premises:
Adequately ventilated premises.

7.3. Specific end use(s)
See section 1.2.

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
No occupational exposure limit available
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.
- 8.2. Exposure controls
Eye/face protection:
Eye glasses with side protection. EN166
Protective visor against liquid splashes (EN166). Recommended when there is a risk of spraying, spraying or spraying of liquid.
- Protection for skin:
Wear clothing that provide comprehensive protection to the skin, eg. cotton, rubber, PVC or viton.
- Protection for hands:
Gloves resistant to chemicals. EN 374
- Respiratory protection:
Not necessary in normal use.
- Thermal Hazards:
Not applicable (the product is handled at room temperature)
- Environmental exposure controls:
Do not allow the product to be absorbed from the soil or from entering waterways or sewers.
Do not let product enter drains. Discharge into the environment must be avoided.
The product is toxic to the aquatic environment.
- Appropriate engineering controls:
Ensure adequate ventilation. Comply with the maximum concentration values in the workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid Amber	--	--
Odour:	Odorless	--	--
Odour threshold:	Not Available	--	--
pH:	7	--	at 20 °C
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	100 °C	--	--
Flash point:	Not Available ° C	--	--
Evaporation rate:	Not Available	--	--
Solid/gas flammability:	Not Relevant	--	--
Upper/lower flammability or explosive limits:	Not Relevant	--	--
Vapour pressure:	Not Available	--	--
Vapour density:	Not Available	--	--

Safety Data Sheet
EXPOSAN RB1

Relative density:	1.04 Kg/l	--	at 20 °C
Solubility in water:	Complete	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient (n-octanol/water):	Non Dispribile	--	--
Auto-ignition temperature:	Not Available	--	--
Decomposition temperature:	Not Available	--	--
Viscosity:	Not Available	--	--
Explosive properties:	Prodotto non esplosivo	--	--
Oxidizing properties:	Not oxidizing product	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Available	--	--
Fat Solubility:	Not Relevant	--	--
Conductivity:	Not Available	--	--
Substance Groups relevant properties	Not Relevant	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under recommended storage and handling. Please refer to section 7 of the MSDS.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

No one in particular.

10.6. Hazardous decomposition products

Carbon dioxide.

Carbon monoxide

Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane - CAS: 25988-97-0

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 1672 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

Safety Data Sheet
EXPOSAN RB1

- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
No information is available on the mixture as a whole. This is the information on ecotoxicological effects of the individual components.
Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane - CAS: 25988-97-0
- a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Algae = 0.09 mg/l - Duration h: 72
Endpoint: EC50 - Species: Daphnia = 0.14 mg/l - Duration h: 48
Endpoint: LC50 - Species: Fish = 0.077 mg/l - Duration h: 96
- 12.2. Persistence and degradability
N.A.
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.
- Additional disposal information:
Retrieve if possible. Send to authorized disposal plants or incineration under controlled conditions. Work according to local and national regulations. Recover if possible. Send to authorized disposal plants or for incineration under controlled conditions. Operate according to local and national regulations.

SECTION 14: Transport information



- 14.1. UN number
ADR-UN Number: 3082
IATA-UN Number: 3082
IMDG-UN Number: 3082
- 14.2. UN proper shipping name
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane)
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane)

Safety Data Sheet
EXPOSAN RB1

- IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane)
- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
Most important toxic component: Methanamine, N-methyl-,polymer with 2-(chloromethyl)oxirane
- 14.6. Special precautions for user
ADR-Subsidiary risks: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (E)
IATA-Passenger Aircraft: 964
IATA-Subsidiary risks: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-EmS: F-A , S-F
IMDG-Subsidiary risks: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Safety Data Sheet
EXPOSAN RB1

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
Product belongs to category: E1

15.2. Chemical safety assessment
No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

For professional use.

Full text of phrases referred to in Section 3:
H302 Harmful if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.
For professional use.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EINECS: European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: Ordinance on Hazardous Substances, Germany.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.

Safety Data Sheet
EXPOSAN RB1

ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.