

MULTIACTION 200 gr. TABLET

CHLORINATOR AGENT STABILIZED WITH FLOCCULANT AND ANTIALGAE

IDENTIFICATION OF THE SUBSTANCE:

SLOW DISSOLUTION CHLORINATED AGENT, WITH FLOCCULANT AND ANTIALGAE. PRODUCT IS APPROPRIATE FOR MANUAL DOSING ON THE "SKIMMER" OR USING SPECIFIC "UNDER PRESSURE DOSING SYSTEM".

USE AND DOSAGE :

PUT 1 OR 2 TABLETS IN THE BASKET OF ANY SKIMMER. IF THERE ARE CONTINUE "BY-PASS" SYSTEMS OF CHLORINATION, FILL UNTIL 2/3 THE CONTAINER DOOR PADS. THE DOSES ARE VALUED CASE TO CASE FOR ENSURE CONSTANT IN TANK THE CONCENTRATION OF CHLORINE FROM 0.7 to 1.5 ppm, IN AGREEMENT WITH LAW OF THE COUNTRY.

INDICATIVE DOSE: 2-3 GRAMS PER CUBIC METRE OF WATER PER DAY.

CONSUMPTION CAN CHANGE IN A FUNCTION OF TEMPERATURE, INTENSITY LIGHT OF FREQUENCY OF USE, THE WEATHER.

FIRST DOSE OF FILTERS

WARNING: DO NOT USE IT WITH OTHER PRODUCTS. IT CAN GENERATE DANGEROUS GAS (CHLORINE)

PHYSICAL AND CHEMICAL PROPERTIES

ASPECT	WHITE TABLETS WITH
BLUE PIGMENTS (200 GRAMS)	
ODOUR	CHLORINE PUNGENT
SOLUBILITY IN WATER	AROUND 12 g/l
pH of solution. 1%	AROUND 3.5
SOLUBILITY	10 g/l
MELTING POT	> OF 200 °C

CHECKS:

THE DILUTED PRODUCT CAN BE QUANTIFIED AND CHECKED BY MEANS OF DPD REAGENTS.

WARNINGS AND POTENTIAL HAZARDS

THE PRODUCT IS HARMFUL, OXIDIZER, VERY TOXIC TO AQUATIC LIFE

HAZARD STATEMENTS:

H272 MAY INTENSIFY FIRE; OXIDISER.

H302 HARMFUL IF SWALLOWED.

H319 CAUSES SERIOUS EYE IRRITATION.

H335 MAY CAUSE RESPIRATORY IRRITATION.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENTS:

P102 KEEP OUT OF REACH OF CHILDREN.

P210 KEEP AWAY FROM HEAT - NO SMOKING.

P260 DO NOT BREATHE DUST OR MIST.

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.

P303+P361+P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.

P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

SPECIAL PROVISIONS:
EUH031 CONTACT WITH ACIDS LIBERATES TOXIC GAS.

COMPOSITION:

TRICHLOROISOCYANURIC ACID; SOLUBLE METAL SALTS

PACKAGING:

5, 10 E 25 KG BARREL – 1 KG CAN