




Safety Data Sheet
FLOOR 2000 SANITIZZANTE

Safety Data Sheet dated 19/9/2017, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification:
Trade name: FLOOR 2000 SANITIZER
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Identified use:
Universal degreaser with sanitizing, scented or odorless action.
Uses advised against:
Any other use different from the identified uses.
- 1.3. Details of the supplier of the safety data sheet
Company:
BARCHEMICALS SRL
VIA S.ALLENDE 14
CASTELNUOVO RANGONE (MO)
ITALY
PHONE. +39 059/536502
FAX. +39 059/536742
www.barchemicals.it
Competent person responsible for the safety data sheet:
barani.corrado@barchemicals.it
- 1.4. Emergency telephone number
Barani Dr.Corrado - MOBILE PHONE. +39 335/6109383

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria n°1272/2008 (CLP)
 Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:
No other hazards

- 2.2. Label elements
Hazard pictograms:



Danger
Hazard statements:
H318 Causes serious eye damage.
Precautionary statements:
P102 Keep out of reach of children.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves and eye/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

Special Provisions:

None

Contains

sodium hydroxide; caustic soda

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards







SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 25% - < 30%	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Index 603-096-00-8 number: CAS: 112-34-5 EC: 203-961-6 REACH No.: 01- 2119475104- 44	 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	sodium hydroxide; caustic soda	Index 011-002-00-6 number: CAS: 1310-73-2 EC: 215-185-5 REACH No.: 01- 2119457892- 27	 3.2/1A Skin Corr. 1A H314
>= 0.5% - < 1%	Benzalkonium Chloride	CAS: 68424-85-1 EC: 270-325-2 REACH No.: 01- 2119983287- 23	 3.1/4/Dermal Acute Tox. 4 H312  3.1/4/Oral Acute Tox. 4 H302  3.2/1B Skin Corr. 1B H314  4.1/A1 Aquatic Acute 1 H400

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Immediately take off all contaminated clothing.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Protect uninjured eye.

In case of Ingestion:

Rinse well your mouth

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

In case of breathing difficult, bring the injured person into the open air and store it in a comfortable position for breathing. Consult a physician.

If breathing is irregular or stopped, administer artificial respiration.

4.2. Most important symptoms and effects, both acute and delayed
None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

After contact with skin, wash immediately with plenty of soap and water.

In case of contact with eyes, rinse immediately for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Water spray, heavy alcohol foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Immediately isolate the area by removing all persons from the area of the accident in the event of a fire. No action shall be taken involving any personal risk or without proper training. Firefighters must wear protective equipment and self-contained breathing apparatus (SCBA) with a full-face mask on the working face at positive pressure. Fire extinguishers (including helmets, protective boots and gloves) conforming to European Standard EN469 will provide basic protection for chemical accidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

Suitable material for taking up: absorbing material, organic, sand

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Stop the escape if there is no risk. Move the containers from the spill area. Get closer to the source of overwhelming emission. Prevent spills in sewage systems, waterways, basements or restricted areas. Wash and convey the spilled amounts in a waste treatment plant.

Collect spills with non-combustible material, absorbent material, sand, earth, vermiculite and dispose of the product according to the regulations in force.

6.4. Reference to other sections

See also section 8 and 13

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Store at room temperature and away from direct sunlight.
Keep away from food, drink and feed.
Incompatible materials:
See the next paragraph 10.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
See section 1.2.

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
AGS - TWA(8h): 100 mg/m³ - Notes: Pelle
EU - TWA(8h): 67.5 mg/m³, 10 ppm - STEL: 101.2 mg/m³, 15 ppm
ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff
sodium hydroxide; caustic soda - CAS: 1310-73-2
ACGIH - STEL: Ceiling 2 mg/m³ - Notes: URT, eye, and skin irr
- DNEL Exposure Limit Values
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
Worker Professional: 67.5 03 - Consumer: 40.5 03 - Exposure: Human Inhalation -
Frequency: Long Term, local effects
Worker Professional: 101.2 03 - Consumer: 60.7 03 - Exposure: Human Inhalation -
Frequency: Short Term, local effects
Worker Professional: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal -
Frequency: Long Term, systemic effects
Worker Professional: 67.5 03 - Consumer: 40.5 03 - Exposure: Human Inhalation -
Frequency: Long Term, systemic effects
Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic
effects
Consumer: 5 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated)
- sodium hydroxide; caustic soda - CAS: 1310-73-2
Worker Professional: 1 03 - Consumer: 1 03 - Exposure: Human Inhalation -
Frequency: Short Term, local effects
Worker Professional: 1 03 - Consumer: 1 03 - Exposure: Human Inhalation -
Frequency: Long Term, local effects
- PNEC Exposure Limit Values
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
Target: Fresh Water - Value: 1.1 mg/l
Target: Marine water - Value: 0.11 mg/l
Target: Freshwater sediments - Value: 4.4 mg/kg
Target: Marine water sediments - Value: 0.44 mg/kg
Target: Soil (agricultural) - Value: 0.32 mg/kg
Target: Microorganisms in sewage treatments - Value: 200 mg/l
- 8.2. Exposure controls
Eye/face protection:
Eye glasses with side protection. EN166

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

- Protection for skin:
Chemical protection clothing.
- Protection for hands:
Gloves resistant to chemicals. EN 374
- Respiratory protection:
Not necessary in normal use.
- Thermal Hazards:
Not applicable (the product is handled at room temperature)
- Environmental exposure controls:
Do not allow the product to be absorbed from the soil or from entering waterways or sewers.
Do not let product enter drains. Discharge into the environment must be avoided.
- Appropriate engineering controls:
Ensure adequate ventilation. Comply with the maximum concentration values in the workplace.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid Yellow	--	--
Odour:	Flower	--	--
Odour threshold:	N.A.	--	--
pH:	11.5	--	at 20 °C
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	Not Available	--	--
Flash point:	Not Available	--	--
Evaporation rate:	Not Available	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	Not Available	--	--
Vapour density:	Not Available	--	--
Relative density:	1.02 Kg/l	--	at 20 °C
Solubility in water:	Complete	--	--
Solubility in oil:	Not Available	--	--
Partition coefficient (n-octanol/water):	Not Available	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	Not Available	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions.
- 10.2. Chemical stability
Stable under recommended storage and handling. Please refer to section 7 of the MSDS.
- 10.3. Possibility of hazardous reactions
No hazardous reactions when stored and handled properly.
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
Acids.
- 10.6. Hazardous decomposition products
Carbon dioxide.
Carbon monoxide

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
Toxicological information of the product:
N.A.
Toxicological information of the main substances found in the product:
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
 - a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 2410 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kgsodium hydroxide; caustic soda - CAS: 1310-73-2
 - a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rabbit = 1350 mg/kg - Source: IUCLID
 - b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin - Species: Rabbit Yes - Source: JACOBS G 1990 (ECHA) - Notes: OECD GUIDELINE 404 (ACUTE DERMAL IRRITATION / CORROSION)
 - d) respiratory or skin sensitisation:
Test: Skin Sensitization No - Source: PARK 1995 (ECHA)
 - e) germ cell mutagenicity:
Test: Genotoxicity No - Source: MORITA 1989 (ECHA) - Notes: MAMMALIAN CELL GENE MUTATION ASSAYBenzalkonium Chloride - CAS: 68424-85-1
 - a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 398 mg/kg
Test: LD50 - Route: Skin - Species: Rat = 800 mg/kg2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
 - LD50 (RAT) ORAL: 6560 MG/KG
LD50 (RABBIT) SKIN: 4120 MG/KG

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

No information is available on the mixture as a whole. This is the information on ecotoxicological effects of the individual components.

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 96

sodium hydroxide; caustic soda - CAS: 1310-73-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 45 mg/l - Duration h: 96 - Notes: ECHA

Endpoint: EC50 - Species: Daphnia = 40 mg/l - Duration h: 48 - Notes: ECHA

Benzalkonium Chloride - CAS: 68424-85-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.85 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 0.02 mg/l - Duration h: 48

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Retrieve if possible. Send to authorized disposal plants or incineration under controlled conditions. Work according to local and national regulations. Recover if possible. Send to authorized disposal plants or for incineration under controlled conditions. Operate according to local and national regulations.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 Dir. 98/24/EC (Risks related to chemical agents at work)
 Dir. 2000/39/EC (Occupational exposure limit values)
 Regulation (EC) n. 1907/2006 (REACH)
 Regulation (EC) n. 1272/2008 (CLP)
 Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 Regulation (EU) 2015/830
 Regulation (EU) n. 286/2011 (ATP 2 CLP)
 Regulation (EU) n. 618/2012 (ATP 3 CLP)
 Regulation (EU) n. 487/2013 (ATP 4 CLP)
 Regulation (EU) n. 944/2013 (ATP 5 CLP)
 Regulation (EU) n. 605/2014 (ATP 6 CLP)
 Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 55

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

For professional use.

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H312 Harmful in contact with skin.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Safety Data Sheet
FLOOR 2000 SANITIZZANTE

Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
-----------------	--------	----------------------------------

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
 Commission of the European Communities
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
 Nostrand Reinold

Liability exclusion clause: The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

For professional use.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.