

## TRICLOR 90 (200 g tablets)

DISINFECTANT TABLETS FOR SWIMMING POOL WATER  
MINIMUM ACTIVE CHLORINE AVAILABLE GUARANTEE : 89-90%  
MEDICO-SURGICAL PRODUCT - MINISTRY OF HEALTH REC. NO. 18018

### IDENTIFICATION OF THE SUBSTANCE:

STABILISED CHLORINATOR FOR SWIMMING POOL WATER.  
SLOW SOLUBILIZATION  
MINIMUM ACTIVE CHLORINE AVAILABLE GUARANTEE : 89-90%

### USE AND DOSAGE :

ADD ONE OR TWO TABLETS INTO EACH SKIMMER BASKET.  
WHERE A BY-PASS CONTINUOUS CHLORINATION SYSTEM EXISTS, FILL THE TABLET CONTAINER UP TO 2/3.  
DOSAGE MUST BE EVALUATED CASE BY CASE SO AS TO CONSTANTLY ENSURE THE PRESENCE OF 0.7 – 1.5 PPM OF CHLORINE CONCENTRATION IN THE POOL AND, HOWEVER, IN COMPLIANCE WITH THE REGULATIONS IN FORCE.  
INDICATIVE DOSAGE: 1-2 GRAMS PER CUBIC METRE OF WATER PER DAY.

### PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	WHITE BIG TABLETS
ODOR	CHLORINE PUNGENT
SOLUBILITY IN WATER	ABOUT 12 g/l
pH (1% solution)	2.5 – 3.0
MELTING POINT	225 – 240°C
IT BREAKS DOWN AT TEMPERATURES >200°C	

### CHECKS:

THE PRODUCT IN SOLUTION CAN BE QUANTIFIED AND CHECKED THROUGH DPD REAGENTS.

### WARNINGS AND POTENTIAL HAZARDS

THE PRODUCT IS:

**O OXIDIZING**  
**XN HARMFUL**  
**XI IRRITANT**  
**N DANGEROUS FOR THE ENVIRONMENT**

HAZARD STATEMENTS:

H272 MAY INTENSIFY FIRE; OXIDISER.  
H302 HARMFUL IF SWALLOWED.  
H319 CAUSES SERIOUS EYE IRRITATION.  
H335 MAY CAUSE RESPIRATORY IRRITATION.  
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENTS:

P102 KEEP OUT OF REACH OF CHILDREN.  
P261 AVOID BREATHING DUST OR MIST.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES AND EYE/FACE PROTECTION.

P304+P340 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.  
P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.  
SPECIAL PROVISIONS:  
EUH031 CONTACT WITH ACIDS LIBERATES TOXIC GAS.

### HANDLING AND STORAGE

HANDLE WEARING RUBBER GLOVES AND SAFETY GOGGLES.  
STORE AT ROOM-TEMPERATURE AND PROTECTED AGAINST DIRECT SUNLIGHT. KEEP AWAY FROM COMBUSTIBLE SUBSTANCES.  
AVOID CONTACT WITH ORGANIC MATTER.

### FIRST-AID MEASURES

SKIN: REMOVE ANY CONTAMINATED CLOTHING IMMEDIATELY. WASH THE AFFECTED AREAS WITH COPIOUS AMOUNTS OF FLOWING WATER.  
EYE: WASH EYES WITH FLOWING WATER IMMEDIATELY, GENTLY PRIZING OPEN EYELIDS TO ENSURE EFFICIENT WASHING.  
IF NECESSARY, ASK FOR A SPECIALIST'S EXAMINATION.

INGESTION: WASH OUT MOUTH WITH COPIOUS AMOUNTS OF WATER AND DRINK WATER OR MILK OR EGG WHITE. SEEK MEDICAL HELP AS SOON AS POSSIBLE.

INHALATION: REMOVE THE PERSON TO AN UNCONTAMINATED AREA; IF THE PERSON'S BREATH IS IRREGULAR OR INTERRUPTED, PRACTICE ARTIFICIAL RESPIRATION.  
GET MEDICAL HELP AS SOON AS POSSIBLE.

### COMPOSITION:

ACTIVE ISOCYANIDE TRICHLOR ACID, MIN. GUARANTEED 89-90%

### PACKAGING

200 g TABLETS (1 KG JAR 5 AND 10 KG. BUCKET – 25 KG. BARREL)

### TRANSPORT INFORMATION

TRANSPORT BY ROAD: UN 2468, TRYCHLOROISOCYANURIC ACYD, DRY, ADR 5.1 COMBURENT SUBSTANCES , II, ADR