





Safety Data Sheet  
BLU FILTER CLEANER

Safety Data Sheet dated 11/9/2017, version 1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier  
Mixture identification:  
Trade name: BLU FILTER CLEANER
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Identified use:  
Sanitizing, disinfectant, degreaser for filtering equipment.  
Uses advised against:  
Any other use different from the identified uses.
- 1.3. Details of the supplier of the safety data sheet  
Company:  
BARCHEMICALS SRL  
VIA S.ALLENDE 14  
CASTELNUOVO RANGONE (MO)  
ITALY  
PHONE. +39 059/536502  
FAX. +39 059/536742  
www.barchemicals.it  
Competent person responsible for the safety data sheet:  
barani.corrado@barchemicals.it
- 1.4. Emergency telephone number  
Barani Dr.Corrado - MOBILE PHONE. +39 335/6109383

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture  
EC regulation criteria n°1272/2008 (CLP)
-  Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
  -  Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Safety Data Sheet**  
**BLU FILTER CLEANER**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special Provisions:

None

Contains

phosphoric acid ... %, orthophosphoric acid ... %  
 2,2'-iminodiethanol; diethanolamine

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards







**SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 40% - < 50%	phosphoric acid ... %, orthophosphoric acid ... %	Index number: 015-011-00-6 CAS: 7664-38-2 EC: 231-633-2 REACH No.: 01-2119485924-24	 3.2/1B Skin Corr. 1B H314
>= 20% - < 25%	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Index number: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 REACH No.: 01-2119475104-44	 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	2,2'-iminodiethanol; diethanolamine	Index number: 603-071-00-1 CAS: 111-42-2 EC: 203-868-0 REACH No.: 01-2119488930-28	 3.1/4/Oral Acute Tox. 4 H302  3.2/2 Skin Irrit. 2 H315  3.3/1 Eye Dam. 1 H318  3.9/2 STOT RE 2 H373

**SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash immediately with soap and plenty of water.  
 OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Page n.2 of 11

**Safety Data Sheet**  
**BLU FILTER CLEANER**

Rinse well your mouth

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

In case of breathing difficult, bring the injured person into the open air and store it in a comfortable position for breathing. Consult a physician.

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation produces a burning sensation, coughing, difficulty breathing and sore throat.

Contact with the skin produces redness, burning and pain.

Contact with the eyes produces redness, pain, severe deep burns and loss of vision.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

After contact with skin, wash immediately with plenty of soap and water.

Immediately take off contaminated clothing.

In case of contact with eyes, rinse immediately for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed, do not induce vomiting.

In case of inhalation of fumes move the person from the contaminated area; if breathing is irregular or stops, administer artificial respiration. Consult a doctor as soon as possible.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Water spray, heavy alcohol foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Immediately isolate the area by removing all persons from the area of the accident in the event of a fire. No action shall be taken involving any personal risk or without proper training.

Firefighters must wear protective equipment and self-contained breathing apparatus (SCBA) with a full-face mask on the working face at positive pressure. Fire extinguishers (including helmets, protective boots and gloves) conforming to European Standard EN469 will provide basic protection for chemical accidents.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate the surrounding areas.

Prevent entry of foreign and unprotected personnel.

Do not touch or walk on spilled material.

Avoid breathing vapors or mists.

Use appropriate respiratory protection.

Wear personal protection equipment.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

**Safety Data Sheet**  
**BLU FILTER CLEANER**

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Stop the escape if there is no risk. Move the containers from the spill area. Get closer to the source of overwhelming emission. Prevent spills in sewage systems, waterways, basements or restricted areas. Wash and convey the spilled amounts in a waste treatment plant.

Collect spills with non-combustible material, absorbent material, sand, earth, vermiculite and dispose of the product according to the regulations in force.

6.4. Reference to other sections

See also section 8 and 13

**SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep in the original container protected from direct sunlight in a dry, cool and well-ventilated area, away from other incompatible materials (see section 10) and food and drink. Keep the container tight and sealed until use. Open containers should be carefully resealed and kept straight to avoid accidental spillage of the product. Do not store in labels without label.

Do not eat, drink or smoke at the workplace. Foods and beverages should be consumed only in areas specifically identified after removing contaminated clothing and protective equipment and after washing your hands. Wash in any case hands after handling the substance / mixture.

Keep away from food, drink and feed.

Incompatible materials:

See the next paragraph 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

**SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

EU - TWA(8h): 1 mg/m<sup>3</sup> - STEL: 2 mg/m<sup>3</sup>

ACGIH - TWA(8h): 1 mg/m<sup>3</sup> - STEL: 3 mg/m<sup>3</sup> - Notes: URT, eye and skin irr

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

AGS - TWA(8h): 100 mg/m<sup>3</sup> - Notes: Pelle

EU - TWA(8h): 67.5 mg/m<sup>3</sup>, 10 ppm - STEL: 101.2 mg/m<sup>3</sup>, 15 ppm

ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff

2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2

ACGIH - TWA(8h): 1 mg/m<sup>3</sup> - Notes: (IFV), Skin, A3 - Liver and kidney dam

DNEL Exposure Limit Values

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

Worker Professional: 1 03 - Consumer: 0.73 03 - Exposure: Human Inhalation -

Frequency: Long Term, local effects - Endpoint: Repeated dose toxicity

Worker Professional: 2 03 - Exposure: Human Inhalation - Frequency: Short Term, local effects

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

**Safety Data Sheet**  
**BLU FILTER CLEANER**

Worker Professional: 67.5 03 - Consumer: 40.5 03 - Exposure: Human Inhalation - Frequency: Long Term, local effects  
Worker Professional: 101.2 03 - Consumer: 60.7 03 - Exposure: Human Inhalation - Frequency: Short Term, local effects  
Worker Professional: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
Worker Professional: 67.5 03 - Consumer: 40.5 03 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects  
Consumer: 5 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated)  
2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2  
Worker Professional: 1 03 - Consumer: 0.25 03 - Exposure: Human Inhalation - Frequency: Long Term (repeated)  
Worker Professional: 0.13 mg/kg - Consumer: 0.07 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated)  
Consumer: 0.06 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated)

**PNEC Exposure Limit Values**  
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5  
Target: Fresh Water - Value: 1.1 mg/l  
Target: Marine water - Value: 0.11 mg/l  
Target: Freshwater sediments - Value: 4.4 mg/kg  
Target: Marine water sediments - Value: 0.44 mg/kg  
Target: Soil (agricultural) - Value: 0.32 mg/kg  
Target: Microorganisms in sewage treatments - Value: 200 mg/l  
2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2  
Target: Fresh Water - Value: 0.0022 mg/l  
Target: Marine water - Value: 0.00022 mg/l  
Target: Freshwater sediments - Value: 0.012 mg/kg  
Target: Marine water sediments - Value: 0.0012 mg/kg  
Target: Soil (agricultural) - Value: 0.0012 mg/kg

**8.2. Exposure controls**  
**Eye/face protection:**  
Eye glasses with side protection. EN166  
Protective visor against liquid splashes (EN166). Recommended when there is a risk of spraying, spraying or spraying of liquid.  
**Protection for skin:**  
Clothing resistant to corrosive products CLASS I, EN 340  
Neoprene rubber boots (EN 374).  
**Protection for hands:**  
Gloves resistant to chemicals. EN 374  
**Respiratory protection:**  
Mask with filter for gases and vapors (EN 14387).  
Mask with filter "E", yellow colour  
**Thermal Hazards:**  
Not applicable (the product is handled at room temperature)  
**Environmental exposure controls:**  
Do not allow the product to be absorbed from the soil or from entering waterways or sewers.  
Do not let product enter drains. Discharge into the environment must be avoided.  
**Appropriate engineering controls:**  
Ensure adequate ventilation. Comply with the maximum concentration values in the workplace.

**SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties



**Safety Data Sheet**  
**BLU FILTER CLEANER**

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid Colorless	--	--
Odour:	Odorless	--	--
Odour threshold:	Not Available	--	--
pH:	<1	--	a 20 °C
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	Not Available	--	--
Flash point:	Not inflammable	--	--
Evaporation rate:	Not Available	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	Not Available	--	--
Vapour density:	Not Available	--	--
Relative density:	1.33 Kg/l	--	at 20 °C
Solubility in water:	Complete	--	--
Solubility in oil:	Not Available	--	--
Partition coefficient (n-octanol/water):	Not Available	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	Not Available	--	--
Explosive properties:	Non Explosive Product	--	--
Oxidizing properties:	Not oxidizing product	--	--

**9.2. Other information**

Properties	Value	Method:	Notes:
Miscibility:	Not Available	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	Not Available	--	--
Substance Groups relevant properties	N.A.	--	--

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

May be corrosive to metals.  
 The product is not pyrophoric.

**10.2. Chemical stability**

Stable under recommended storage and handling. Please refer to section 7 of the MSDS.

**10.3. Possibility of hazardous reactions**

Do not mix with chlorinated products. A toxic gas (chlorine) can develop.  
 Never pour water on these substances, when you have to dissolve or dilute add substance slowly into the water.

**10.4. Conditions to avoid**

Keep away from heat sources.

**10.5. Incompatible materials**

concentrated alkali.

**Safety Data Sheet**  
**BLU FILTER CLEANER**

- Metals
- Ammine
- 10.6. Hazardous decomposition products
  - Phosphorus oxides.
  - Carbon dioxide and carbon monoxide.

**SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2600 mg/kg - Notes: EQUIVALENTE AL OECD 423

Test: LD50 - Route: Skin - Species: Rabbit = 2740 mg/kg - Source: BIOFAX IND. 2000 (ECHA)

b) skin corrosion/irritation:

Test: Skin Corrosive - Species: Rabbit Yes - Source: STUDY REPORT 1980 (ECHA) - Notes: 1500.41 IN THE FEDERAL REGISTER VOL. 38

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Yes - Source: STUDY REPORT 1971 (ECHA) - Notes: CODE OF FEDERAL REGULATIONS

e) germ cell mutagenicity:

Test: Mutagenesis No - Source: STUDY REPORT 2010 (ECHA) - Notes: UNITED KINGDOM ENVIRONMENTAL MUTAGEN SOCIETY

g) reproductive toxicity:

Test: Reproductive Toxicity - Species: Rat No - Source: STUDY REPORT 2008 (ECHA)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2410 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg

2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1600 mg/kg

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

LD50 (RABBIT) SKIN: 2740 MG/KG

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

LD50 (RAT) ORAL: 6560 MG/KG

LD50 (RABBIT) SKIN: 4120 MG/KG

2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2

LD50 (RAT) ORAL: 710 MG/KG

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;

**Safety Data Sheet**  
**BLU FILTER CLEANER**

- i) STOT-repeated exposure;
- j) aspiration hazard.

**SECTION 12: Ecological information**

12.1. Toxicity

No information is available on the mixture as a whole. This is the information on ecotoxicological effects of the individual components.

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 75.1 mg/l - Duration h: 96 - Notes: ECHA - OECD GUIDELINE 203 (FISH, ACUTE TOXICITY TEST)

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: OECD GUIDELINE 202 (DAPHNIA SP. ACUTE IMMOBILISATION TEST)

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 96

2,2'-iminodiethanol; diethanolamine - CAS: 111-42-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 55 mg/l - Duration h: 48

Endpoint: NOEC - Species: Daphnia = 0.78 mg/l - Duration h: 504

Endpoint: LC50 - Species: Fish = 1460 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae = 2.2 mg/l - Duration h: 96

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Il prodotto è nocivo per la vita acquatica in quanto abbassa fortemente il pH.

**SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Retrieve if possible. Send to authorized disposal plants or incineration under controlled conditions. Work according to local and national regulations. Recover if possible. Send to authorized disposal plants or for incineration under controlled conditions. Operate according to local and national regulations.

**SECTION 14: Transport information**



14.1. UN number

ADR-UN Number: 1760

IATA-UN Number: 1760



**Safety Data Sheet**  
**BLU FILTER CLEANER**

- IMDG-UN Number: 1760
- 14.2. UN proper shipping name  
ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. (phosphoric acid ... %, orthophosphoric acid ... %)
- IATA-Shipping Name: CORROSIVE LIQUID, N.O.S. (phosphoric acid ... %, orthophosphoric acid ... %)
- IMDG-Shipping Name: CORROSIVE LIQUID, N.O.S. (phosphoric acid ... %, orthophosphoric acid ... %)
- 14.3. Transport hazard class(es)  
ADR-Class: 8  
ADR - Hazard identification number: 88  
IATA-Class: 8  
IATA-Label: 8  
IMDG-Class: 8
- 14.4. Packing group  
ADR-Packing Group: II  
IATA-Packing group: II  
IMDG-Packing group: II
- 14.5. Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No
- 14.6. Special precautions for user  
ADR-Subsidiary risks: -  
ADR-S.P.: 274  
ADR-Transport category (Tunnel restriction code): 1 (E)  
IATA-Passenger Aircraft: 850  
IATA-Subsidiary risks: -  
IATA-Cargo Aircraft: 854  
IATA-S.P.: A3 A803  
IATA-ERG: 8L  
IMDG-EmS: F-A , S-B  
IMDG-Subsidiary risks: -  
IMDG-Stowage and handling: Category B SW2  
IMDG-Segregation: -
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
N.A.

**SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
Restrictions related to the product:  
Restriction 3  
Restrictions related to the substances contained:

**Safety Data Sheet**  
**BLU FILTER CLEANER**

Restriction 55

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)  
Regulation (EC) nr 648/2004 (detergents).  
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1  
None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.  
Substances for which a Chemical Safety Assessment has been carried out:  
None

**SECTION 16: Other information**

**For professional use.**

Full text of phrases referred to in Section 3:

H314 Causes severe skin burns and eye damage.  
H319 Causes serious eye irritation.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H373 May cause damage to organs through prolonged or repeated exposure.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

Liability exclusion clause: The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

For professional use.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

**Safety Data Sheet**  
**BLU FILTER CLEANER**

CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.